

SEQUENCE LISTING

(1) GENERAL INFORMATION:

(i) APPLICANT:

Grabstein, Kenneth Paxton, Raymond Pettit, Dean

- (ii) TITLE OF INVENTION: Antagonists of IL-15
- (iii) NUMBER OF SEQUENCES: 10
- (iv) CORRESPONDENCE ADDRESS:
 - (A) ADDRESSEE: Immunex Corporation
 - (B) STREET: 51 University Street
 - (C) CITY: Seattle
 - (D) STATE: Washington
 - (E) COUNTRY: USA
 - (F) ZIP: 98101
 - (v) COMPUTER READABLE FORM:
 - (A) MEDIUM TYPE: Floppy disk

 - (B) COMPUTER: IBM PC Compatible
 (C) OPERATING SYSTEM: Word for Windows 95, 7.0
 (D) SOFTWARE: PatentIn Release #1.0, Version #1.25
- (vi) CURRENT APPLICATION DATA:
 - (A) APPLICATION NUMBER:
 - (B) FILING DATE:
 - (C) CLASSIFICATION:
- (viii) ATTORNEY/AGENT INFORMATION:
 - (A) NAME: Malaska, Stephen L.

 - (B) REGISTRATION NUMBER: 32,655 (C) REFERENCE/DOCKET NUMBER: 2831
 - (ix) TELECOMMUNICATION INFORMATION: (A) TELEPHONE: 206-587-0430
- (2) INFORMATION FOR SEQ ID NO:1:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 489 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (iii) HYPOTHETICAL: NO
 - (iv) ANTI-SENSE: NO
 - (ix) FEATURE:
 - (A) NAME/KEY: CDS
 - (B) LOCATION: 1..342
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:1:

ATG AGA ATT TCG AAA CCA CAT TTG AGA AGT ATT TCC ATC CAG TGC TAC Met Arg Ile Ser Lys Pro His Leu Arg Ser Ile Ser Ile Gln Cys Tyr

CTG TGT TTA CTT CTA AAG AGT CAT TTT CTA ACT GAA GCT GGC ATT CAT

96

48

	Leu			20												His		
	GTC Val	TTC Phe	ATT Ile 35	TTG Leu	GGC Gly	TGT Cys	TTC Phe	AGT Ser 40	GCA Ala	GGG Gly	CTC Leu	CCT Pro	AAA Lys 45	ACA Thr	GAA Glu	GCC Ala		144
	AAC Asn	TGG Trp 50	GTG Val	AAT Asn	GTA Val	ATA Ile	AGT Ser 55	GAT Asp	TTG Leu	AAA Lys	AAA Lys	ATT Ile 60	GAA Glu	GAT Asp	CTT Leu	ATT Ile		192
	CAA Gln 65		ATG Met	CAT His	ATT Ile	GAT Asp 70	GCT Ala	ACT Thr	TTA Leu	тат Туг	ACA Thr 75	GAA Glu	AGT Ser	GAT Asp	GTT Val	CAC His 80		240
		AGT Ser	TGC Cys	AAG Lys	GTA Val 85	ACA Thr	GCA Ala	ATG Met	AAG Lys	TGC Cys 90	TTT Phe	CTC Leu	TTG Leu	GAG Glu	TTG Leu 95	CAA Gln		288
	GTT Val	ATT Ile	TCA Ser	CAT His	GAG Glu	TCC Ser	GGA Gly	GAT Asp	ACA Thr 105	GAT Asp	ATT Ile	CAT His	GAT Asp	ACA Thr 110	GTA Val	GAA Glu		336
	AAT Asn	CTT Leu	ATC Ile 115	Ile	CTA Leu	GCA Ala	AAC Asn	AAC Asn 120	110	TTG Leu	TCT Ser	TCT Ser	AAT Asn 125	GGG Gly	AAT Asn	ATA Ile		384
ing in dail	ACA Thr	GAA Glu 130	TCT Ser		TGC Cys	AAA Lys	GAA Glu 135	Cys	GAG Glu	GAA Glu	CTA Leu	GAG Glu 140	GAA Glu	AAA Lys	AAT Asn	ATT		432
grig gerr orge stop gerr georg	AAA Lys 145	GAA		TTG Leu	CAG Gln	AGT Ser 150	Pne	GTA Val	CAT His	ATT	GTC Val		ATC Met	TTC Phe	ATC	AAC Asn 160		480
# ### ####	ACI		TG#	Δ.														489
ded and der	(2) INFORMATION FOR SEQ ID NO:2:																	
mail lind linds	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 489 base pairs																	
	(ii) MOLECULE TYPE: cDNA																	
`	(ix) FEATURE: (A) NAME/KEY: CDS (B) LOCATION: 1489																	
					NCE													
	Me	t Ar 1	g Il	e Se	r Ly	s Pr 5	O HI	s re	u AI	1	0			-	ī	C TAC S Tyr .5		48
	TI —-L∈	G TC	T TI	u_L∈	T CI	'A AA u As	C AG	T CA	.S-F1	T CT e_Le	A AC	T GA	A ·GC .u_A]	CT GC La Gl	C AT y II	T CAT Le His		96
	- GT Va	C TI	ne Il			с то .у Су	TTT S Pl	ie se	GT GC er Al	A GG la Gl	G CI y Le	T CC	T A	AA AC ys Ti 45	CA GA	A GCC lu Ala	a .	144

Ā	AC .sn	TGG Trp 50	GTG Val	AAT Asn	GTA Val	ATA Ile	AGT Ser 55	GAT Asp	TTG Leu	AAA Lys	AAA Lys	ATT Ile 60	GAA Glu	GAT Asp	CTT Leu	ATT Ile	1	.92
C	AA 1n 65	TCT Ser	ATG Met	CAT His	ATT Ile	GAT Asp 70	GCT Ala	ACT Thr	TTA Leu	TAT Tyr	ACG Thr 75	GAA Glu	AGT Ser	GAT Asp	GTT Val	CAC His 80	2	240
Į	cc	AGT Ser	TGC Cys	AAA Lys	GTA Val 85	ACA Thr	GCA Ala	ATG Met	AAG Lys	TGC Cys 90	TTT Phe	CTC Leu	TTG Leu	GAG Glu	TTA Leu 95	CAA Gln	2	88
7	TT al	ATT Ile	TCA Ser	CTT Leu 100	GAG Glu	TCC Ser	GGA Gly	GAT Asp	GCA Ala 105	AGT Ser	ATT Ile	CAT His	GAT Asp	ACA Thr 110	GTA Val	GAA Glu	3	336
7	AT Asn	CTG Leu	ATC Ile 115	ATC Ile	CTA Leu	GCA Ala	AAC Asn	AAC Asn 120	AGT Ser	TTG Leu	TCT Ser	TCT Ser	AAT Asn 125	GGG Gly	AAT Asn	GTA Val	3	884
7	ACA Thr	GAA Glu 130	TCT Ser	GGA Gly	TGC Cys	AAA Lys	GAA Glu 135	TGT Cys	GAG Glu	GAA Glu	CTG Leu	GAG Glu 140	GAA Glu	AAA Lys	AAT Asn	ATT Ile	4	132
3	AAA Lys L45	GAA Glu	TTT Phe	TTG Leu	CAG Gl'n	AGT Ser 150	TTT Phe	GTA Val	CAT His	ATT Ile	GTC Val 155	CAA Gln	ATG Met	TTC Phe	ATC Ile	AAC Asn 160	4	480
_		TCT Ser	TGA														4 1	89
	(2)	INF	ORMA	TION	FOR	SEQ	ID I	NO:3	:									
(;) SPOUPNOR CHARACTERISTICS:																		

- (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 27 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: cDNA
- (iii) HYPOTHETICAL: NO
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

AATGTAATAA GTTGTTTGAA AAAAATT

27

- (2) INFORMATION FOR SEQ ID NO:4:
 - (i) SEQUENCE CHARACTERISTICS:
 - (A) LENGTH: 27 base pairs
 - (B) TYPE: nucleic acid
 - (C) STRANDEDNESS: single
 - (D) TOPOLOGY: linear
 - (ii) MOLECULE TYPE: cDNA
 - (xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

AATGTAATAA GTTCTTTGAA AAAAATT

27

- (2) INFORMATION FOR SEQ ID NO:5:
 - (i) SEQUENCE CHARACTERISTICS:
 (A) LENGTH: 24 base pairs

(B) TYPE: number ic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	•
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:5:	
GTTGATGAAC ATGCAGACAA TATG	24
(2) INFORMATION FOR SEQ ID NO:6:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 24 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:6:	
GTTGATGAAC ATAGAGACAA TATG	24
(2) INFORMATION FOR SEQ ID NO:7:	
 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 39 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:	
GTCCTCGCAA CTAAGTCGAC TAACTGGGTG AATGTAATA	39
(2) INFORMATION FOR SEQ ID NO:8:	
(i) SEQUENCE CHARACTERISTICS:(A) LENGTH: 45 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single(D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
GAGTCATTCT CGACTTGCGG CCGCACCAGA AGTGTTGATG	AACAT 45
(2) INFORMATION FOR SEQ ID NO:9:	

derh their street street their their

(i) SEQUENCE CHARACTERISTICS:
(A) LENGTH: 69 base pairs
(B) TYPE: nucleic acid
(C) STRANDEDNESS: single

(D) TOPOLOGY inear	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
AATATGGTAC CTTTGGATAA AAGAGACTAC AAGGACGACG ATGACAAGAA	50
CTGGGTGAAT GTAATAAGT	69
(2) INFORMATION FOR SEQ ID NO:10: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 36 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
(ii) MOLECULE TYPE: cDNA	
(iii) HYPOTHETICAL: NO	
(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	
GCGATATATC CATGGTCAAG AAGTGTTGAT GAACAT	36

ping ging generally generally generally generally ging and the second theory could find that the second and the second second find that